WAVES. WORLD. WIDE.
OUR PLAYGROUND OUR SOLUTIONS



# 放大器 - GTV2455

L-Band (900 – 2150 MHz)





# TECHNICAL DATA @ 25°C

Type No.	1200214
Number of inputs	1
Number of outputs	1
Architecture	One amplifier channel
Frequency range	900 – 2150 MHz
Amplifier	
Gain [dB]	0 - 20 in steps of 1 dB
Flatness [dB]	± 0.8 typ., ± 1.0 max.
Noise Figure [dB]	6.0 typ., 7.0 max.
	@ 20dB gain
OPIP3 [dBm]	28 min., 30 typ.
VSWR	
Input	1.4:1 typ., 1.5:1 max.
Output	1.4:1 typ., 1.5:1 max.
Input pwr [dBm]	
non-destructive	+7 min. (CW)
Output pwr [dBm]	
@ 1dB compr.	+18 min.
Impedance [Ω]	50
Connectors	
Input	SMA female
Output	SMA female

Local control	
Remote control	RJ45 Ethernet port
	10/100 Base T.,
	TCP/IP & UDP, SNMP,
	GUI (browser interface)
Power supply	80-264 V AC (47-63 Hz)
Power consumption	<30VA
Temperature range	Indoor use only
Operating	0 +40°C
Storage	-10 +60°C
Colour:	Front panel: RAL7021
Attached hardware	Power cord
	Operating manual
Dimensions (wxhxd)	483mm x 44mm x 360mm
	(19" drawer, 1U)
Weight	5 kg

## Features

- Redundant power supply
- Adjustable gain
- Amplifier monitoring
- Amplifier status LED (green/red)
- GUI

# **OPTIONS**

The following options are available:

- Single power supply
- DC power supply

- Mixed power supply (AC and DC)
- Customized filters








#### **DESCRIPTION**

The unit contains one high frequency amplifier channel operating over 0.9 to 2.15GHz. Gain can be selected between 0 and +20dB, step size is one dB. Both, in and out, are AC-coupled.

The gain can be set remotely using the GUI, SNMP or an external control software.



## **APPLICATIONS**

The GTV2455 uses a low-noise amplifier and a high accuracy attenuator and is designed for long-term installations. Its excellent gain flatness and noise figure makes it suitable for the following purposes:

- Broadcast
- Communication satellites
- Surface ship radar
- PCS

- GPS
- Wireless LAN (IEEE 802.11b and 802.11g standards)
- Defense

## **ABOUT US**

**novotronik** is a Germany-based electronics engineering company. **novotronik** specialises in meeting the needs of government and defence, telecommunication, broadcast and aerospace. We have about 25 years experience producing state of the art technology for your applications.

#### **OUR SKILLS**

**novotronik** develops and manufactures technically sophisticated products. As a **certified aerospace and defence company novotronik** operates a quality management system in accordance with ISO 9001:2015 and EN 9100:2018 (equivalent to AS 9100D and JISQ 9100:2016 including ISO 9001:2015).







hkaco.com



您需要详细信息?请现在通过sales@hkaco.com联系我们。

免费电话: 400-999-3848

您身边的测试测量专家:北京 | 上海 | 深圳 | 西安 | 广州 | 成都 | 武汉 | 香港 | 台湾 | 美国